



BAGS Catalogue 2021

Printed on recycled paper

Find the catalogue products in our E-shop: www.flexico-packaging.co.uk • 24h/24 and 7/7 Secure payment online • Delivery time on request.

Need more information? Contact our sales teams!



French sales department • Tel.: +33 (0)3 44 49 49 49 france.commercial@flexico.fr



Export sales department • Tel.: +33 (0)3 44 49 59 30 export.commercial@flexico.fr





Bags without closure With flap • Plastic clip bundle • Wickett bundle • Silver card base •	28-30
Printed card base •	
Tin-Tie bags	31
Packaging accessories Hooks •	32
Ties •	



SUMMARY

About Flexico[®] | 4-5



How to choose your closure profile?

02	
OUR RESEALABLE BAGS	8-32
How to choose your bags?	8-9
PE/EVOH-PE bags Stand-up •	10
Minigrip [®] Bio-based bags Classic • Special •	11-15
Minigrip [®] bags Classic • Special •	16-19
Zipgrip [®] bags Doypack [®] ∙	20-22
Sensogrip [®] bags Box pouch ∙	23
Topmatic [®] bags	24-25
Adhesive flap bags Flat bags • TV remote control & Phone •	26-27



Flexico® expert in tailor-made packaging

Patents: > 350



With more than 60 years experience in the design and production of flexible packaging, the Flexico[®] group has developed a unique range of reclosable solutions to meet the needs of each market.

Our sales and R&D teams are at your service and can offer you total packaging solutions ranging from the closure to the packing system for your products.

At home, at work, in hospitals and supermarkets, Flexico®'s products are part of everyone's daily life.

With the designers of Flexico[®]'s resealable packaging solutions. Share our creativity and technological expertise to offer to your customers a unique sound and tactile experience.

Our activities: serving a multitude of markets



• Industry:



Medical & Pharmaceutical Services

Our certifications: quality and hygiene certified







Flexico[®] an eco-responsible business

- In 2019, 95% of the plastic waste generated during our manufacturing process was regranulated in the aim of being reused by industrial players to provide a second life.
- Our products can be reused due to their reclosable property and are often used again for other applications thereby prolonging their lifecycle.
- Flexico[®] is part of the SAVE FOOD initiative whose aim is to contribute to food waste reduction at a worldWidth scale.

Our partners:







What type of profile closure

_ Zip



Practical and sustainable, the Zipgrip[®] closure has been the Group's flagship for over 40 years. This « press-to-close » profile makes the packaging easy to open and close.







Airtight and intuitive, the Sensogrip[®] closure suits all types of markets.







Safety and protection, Flexico[®]'s latest development, Zippiz[®] is a closure offering a unique sound and tactile sensation.






Ethical packaging solutions

meets your needs?

Slider

Convenient, nomad and appealing. The slider closure is perfectly suited for **multi-handling.** Slider available in metal or plastic.






Adhesive flap

Permanent or resealable, the adhesive flap bag makes allows **easy and manual packing**.





Tin-Tie

Convenient and easy to use, the **height of the bag** can be adjusted thanks to the integrated metallic tie.





Which film suits your needs?


Comparison table of main specifications of films used to make our bags*

		FILMS								
		PET/PE	PET/Alu/PE	PAP/Alu/PE	PET Met/PP	PET Met/PE	PE	PP	BOPP	PE/EVOH-PE
	Transparency	+	Opaque	Opaque	Opaque	Opaque	+	++	+++	+
	Gloss	++	++	-	++	++	+	++	++	+
	Rigidity	++	+++	++	++	++	-	+	++	+
Characteristics	Puncture resistance	+++	+++	+	+++	+++	+	+	+++	+++
	Tear propagation resistance	-	-	-	-	-	++	++	-	+
Che	O2 Barrier	+	+++	+++	++	++	-	-	-	++
ľ	Water vapour barrier	-	+++	+++	++	++	+	+	+	+
	Aroma preservation	+	+++	+++	++	++	-	-	-	++

(*) This information is given on an indicative basis. It may vary according to film thickness. Under no circumstances can Flexico® be held liable.

Specifications guide:

• Low: -	Average: +	• Good: ++	Excellent: +++
----------	------------	------------	----------------



Which bag shape to choose?

FLAT BAG:

This is the most common format for plastic bags.

BOTTOM **GUSSET:**

The bottom of the bag is folded to form a block bottom which allows the bag to expand and to stand.



support.

The stand-up bag

is available in three

different formats: Doypack® - K-Seal

FLAT BOTTOM:

The bottom of the bag has a square card which, once unfolded, gives the bag a square shape.

POCKET SIZE BAG:


Bag shaped with a bottom gusset and a large opening which ressembles a toiletry bag. This bag can be presented standing up.

BOX POUCH:

This format includes side gussets and welded flat bottom. It saves space during storage and offers the volume of a box once filled.

and Corner Seal. They are able to stand upright on a shelf or other

Which finish to choose?



* According to the TREE repository (Citéo), of December 2019.

The RECYCLABLE Stand-up bag PE/EVOH-PE

The PE/EVOH-PE bag is made from a recyclable laminated film. The presence of a layer of EVOH provides an excellent barrier to oxygen, carbon dioxyde and aromas without affecting the bag's recyclability. The layers of polyethylene surrounding the EVOH also provide the bag with a humidity protection. Your products are thereby protected from all external contamination and their properties are preserved!

	Ref.	W x D + BG + L (mm)
🔲 100 ml	ITM080501	85 x 125 + 2 x 25 + 20
🗖 250 ml	ITM080502	110 x 160 + 2 x 32 + 25
500 ml	ITM080503	130 x 190 + 2 x 35 + 35
750 ml	ITM080504	160 x 230 + 2 x 40 + 40
📕 1 000 ml	ITM080505	180 x 255 + 2 x 45 + 35
2 000 ml	ITM080506	210 x 270 + 2 x 55 + 40
📕 3 000 ml	ITM080507	250 x 300 + 2 x 65 + 40
5 000 ml	ITM080508	300 x 330 + 2 x 80 + 40

Thickness:	
PE30/EVOHPE60	PE30/EVOHPE100
PE30/EVOHPE90	PE30/EVOHPE120

All these bags have a 5µm EVOH layer



Key: Format: Width (W) x Depth (D) + Bottom Gusset (BG) + Lip (L) Including welding dimensions



Non-contractual photo



Discover the latest

Same quality, same price

- The Minigrip[®] Bio-based bag is mono-material and certified RECYCLABLE by the Cyclos HTP label!
- Thanks to its reclosable zipper, the Minigrip[®] Bio-based bag is REUSABLE.
- Made from a natural renewable resource (sugar cane), the Minigrip[®] Bio-based bag becomes ECO-RESPONSIBLE!







Why don't you too CONSIDER GOING GREEN?

Photos credit: Adobe stock®

The ECO-RESPONSIBLE bag Made In France!

The original Minigrip[®] pouch is getting a makeover!

minigrip

A key player for over 60 years thanks to its quality and strength, the Minigrip[®] bag has been transformed in response to the circular economy law.

Aware of the challenges to the packaging market, Flexico[®] is innovating, developing and optimizing its manufacturing processes to create innovative, eco-designed and sustainable reclosable packaging. Manufactured from polyethylene and sugar cane, the Minigrip[®] bag is now BIO-BASED.

Its impeccable closure, its recyclability and outstanding robustness are always in order for the SAME PRICE!

Discover, test and adopt the new Minigrip[®] Bio-based bag.

The 🕀

- Bio-based: made from renewable natural resources (sugar cane)
- Closure profile allowing the bag to be re-used
- Ribbed and reinforced lip for easier handling
- Available in different thicknesses to improve bag solidity

12 FLEXICOGroup Ethical packaging rolution





Non-contractual photo

Clear PE 60/50 µm 🗲

VED YEARY		(16) YYY Y YY			
	Ref.	W x D (mm)		Ref.	W x D (mm)
*	ITM010100	40 x 60	**	ITM010130	150 x 200
*	ITM010101	50 x 70	**	ITM010131	150 x 220
**	ITM010102	50 x 180	**	ITM010132	150 x 320
**	ITM010103	60 x 80	**	ITM010133	160 x 220
**	ITM010104	60 x 120	**	ITM010134	160 x 280
**	ITM010106	70 x 100	**	ITM010135	180 x 250
**	ITM010109	80 x 120	**	ITM010137	180 x 350
***	ITM010110	85 x 180	**	ITM010138	200 x 200
* * 🔳	ITM010111	90 x 90	* * *	ITM010139	200 x 250
**	ITM010113	100 x 100	**	ITM010140	200 x 300
	ITM010114	100 x 125	* * *	ITM010141	200 x 300
**	ITM010115	100 x 150	* * *	ITM010142	220 x 280
**	ITM010116	100 x 200	**	ITM010143	220 x 320
**	ITM010119	110 x 170	* * *	ITM010145	230 x 320
**	ITM010120	110 x 300	* * *	ITM010146	250 x 320
**	ITM010122	120 x 170	**	ITM010147	250 x 350
**	ITM010123	120 x 180	* * *	ITM101148	250 x 350
**	ITM010125	130 x 200	* * *	ITM010149	270 x 400
**	ITM010127	140 x 170	**	ITM010151	300 x 400
**	ITM010128	140 x 220	* * *	ITM010152	300 x 400
**	ITM010129	150 x 180	* * *	ITM010153	350 x 450

<image>

- Totally transparent
- Hole for hanging and/or aeration hole to pack products

PE Three White	
Write-On Panels	60/50 µm

ก้างแยนการกล่านการกลาง และ กลังกลางการกลางการกลางการกลางการกลางการกลางการกลางการกลางการกลางการกลางการกลางการกล

	Ref.	W x D (mm)
*	ITM010164	40 x 60
**	ITM010166	60 x 80
**	ITM010167	70 x 100
	ITM010168	75 x 90
**	ITM010169	80 x 120
* * 🔳	ITM010172	100 x 150
* *	ITM010174	120 x 180
**	ITM010175	150 x 180
**	ITM010176	160 x 220
**	ITM010177	180 x 250
* * *	ITM010179	230 x 320

(兄) (会)



See list of products

concerned on the

certificate

See list of products concerned on the certificate

Flexico

• Write-on with a **ballpoint or felt tip pen** to identify the contents of your bag



Key: Format: Width (W) x Depth (D) ★ Punched Hole Ø 6 mm ★ ★ Punched hole Ø 8 mm ★ Aeration hole Ø 4 mm ■ Pack of 100 bags (or 50) ■ Pack of 25 bags (or 50) ● While stock lasts

Non-contractual photos

Clear PE 100 µm 💊

	A State State	1 Nr. 18 11 1V	. N. s. k. Å.
- CARALIJIAIX	MANNA		
N 8 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		TOWNIN MAD	

닅

	Ref.	W x D (mm)
**	ITM010156	80 x 120
**	ITM010157	100 x 150
**	ITM010158	120 x 180
* *	ITM010159	160 x 220
**	ITM010160	180 x 250
* * *	ITM010162	250 x 320
* * * 🔳	ITM010163	300 x 400





• Ultra **resistant** for heavy or sharp products

The (+)



The 🕀

- Hang on a double hook
- Garantees good resistance and shelf stability of the packaging thanks to the Minigrip[®] lip

Anti-UV PE 80 µm Three White Write-On Panels

¹ที่เป็นแหลงสายนี้มีการแสดสารแก่งของสายไห้และเกิดการการไม่ได้

Our Minigrip[®] UV protection bag has **barrier properties** for the contents of the bag (wavelengths between 280 and 350 nm) and can withstand an irradiation energy of 200 Kly.

 Ref.
 W x D (mm)

 ITM010194
 70 x 100

 ITM010196
 150 x 220

FLEXICO_{Group}

Ethical packaging rolutionr





Non-contractual photos

14

Black Opaque PE 60 µm Three White Write-On Panels

างรับบที่สามหัน เป็นการแก่ได้และการแก่ได้เป็นการเรียงการเรียงการเรียงไม่เสียงการเรียงการ

Ref. W x D (mm) ITM010199 160 x 220 **





8 Δ

- A

The (+)

 Confidentiality of contents due to the opacity to light

PE 80 µm Antistatic

พบอารุพษาณ์มีลงสารม/สร้างหมอ่างหนี้แก่มีลงมีเป็นได้ที่

W x D (mm) Ref. ITM010207 220 x 320

 Average surface resistivity of 10¹² Ohms +/-

 Half decay time of 3s +/-





Key: Format: Width (W) x Depth (D) * Punched Hole ø 6 mm * * Punched hole ø 8 mm * Aeration hole ø 4 mm Pack of 100 bags (or 50) Pack of 25 bags (or 50)

While stock lasts

Non-contractual photos

The 100% recyclable "Made In France" bag

Miniginal Original

The three red lines, which guarantee the Minigrip[®] quality, have made this an essential package for over 60 years.

Flexico[®] has developed an extrusion process which guarantees the high transparency and gloss of the polyethylene as well as an outstanding closure.

The 🕀

- Ribbed and reinforced lip for easy handling
- Closure profile designed for easy opening high speed packing
- Available in different thicknesses to improve bag solidity

16 FLEXICOGroup Ethical packaging rolution



Non-contractual photo

Clear PE 60 µm

ITM020201 40 x 60 ITM020252 50 x 70 ITM020206 50 x 180 ITM020208 60 x 80 ITM020253 60 x 120 ITM020254 60 x 220 ITM020255 70 x 100 ITM020209 70 x 170 ITM020209 70 x 170 ITM0202012 80 x 120 ITM020212 80 x 120 ITM020211 85 x 180 ITM020215 90 x 90 ITM020216 90 x 100 ITM020217 100 x 100 ITM020218 100 x 125 ITM020219 100 x 125 ITM020218 100 x 125 ITM020219 100 x 200 ITM020219 100 x 250 ITM020256 100 x 250 ITM020256 100 x 250 ITM020221 110 x 170 ITM020221 110 x 170 ITM020223 115 x 150 ITM02024 120 x 170 ITM020257 120 x 180 ITM020266 120 x 280 <		Ref.	W x D (mm)
** ITM020206 50 x 180 ** ITM020208 60 x 80 ** ITM020253 60 x 120 ** ITM020254 60 x 220 ** ITM020255 70 x 100 ** ITM020209 70 x 170 * ITM020209 70 x 170 * ITM0202012 80 x 120 ** ITM020212 80 x 120 *** ITM020211 85 x 180 ** ITM020215 90 x 90 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020218 100 x 200 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020266<	*	ITM020201	40 x 60
** ITM020208 60 x 80 ** ITM020253 60 x 120 ** ITM020254 60 x 220 ** ITM020255 70 x 100 ** ITM020209 70 x 170 ** ITM020212 80 x 120 ** ITM020211 85 x 180 ** ITM020215 90 x 90 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020219 100 x 200 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020257<	*	ITM020252	50 x 70
** ITM020253 60 x 120 ** ITM020254 60 x 220 * ITM020255 70 x 100 ** ITM020209 70 x 170 ITM020602 75 x 90 ** ITM020212 80 x 120 ** ITM020212 80 x 120 ** ITM020212 80 x 120 ** ITM020215 90 x 90 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020219 100 x 200 ** ITM020218 100 x 200 ** ITM020218 100 x 200 ** ITM020216 100 x 200 ** ITM020218 100 x 150 ** ITM020265 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020266 120 x 280 ** ITM020266 120 x 280 ** ITM020257 13	**	ITM020206	50 x 180
** ITM020254 60 x 220 * ITM020255 70 x 100 * ITM020209 70 x 170 * ITM020602 75 x 90 ** ITM020212 80 x 120 *** ITM020211 85 x 180 *** ITM020215 90 x 90 ** ITM020216 90 x 100 *** ITM020217 100 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020218 100 x 200 ** ITM020219 100 x 200 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020266 120 x 280 ** ITM020257 130 x 200	**	ITM020208	60 x 80
** ITM020255 70 x 100 ** ITM020209 70 x 170 ** ITM020602 75 x 90 ** ITM020212 80 x 120 *** ITM020212 80 x 120 *** ITM020211 85 x 180 *** ITM020215 90 x 90 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020218 100 x 200 ** ITM020256 100 x 220 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020257 130 x 320	* * 🔳	ITM020253	60 x 120
** ITM020209 70 x 170 ITM020602 75 x 90 ** ITM020212 80 x 120 ** ITM020212 80 x 120 *** ITM020215 90 x 90 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020218 100 x 120 ** ITM020218 100 x 200 ** ITM020218 100 x 200 ** ITM020218 100 x 200 ** ITM020219 100 x 200 ** ITM020265 100 x 200 ** ITM020266 100 x 125 ** ITM020267 110 x 170 ** ITM020221 110 x 170 ** ITM020267 120 x 170 ** ITM020267 120 x 170 ** ITM020266 120 x 280 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	**	ITM020254	60 x 220
ITM020602 75 x 90 ITM020602 75 x 90 ** ITM020212 80 x 120 *** ITM020212 80 x 120 *** ITM020211 85 x 180 ** ITM020215 90 x 90 ITM020216 90 x 100 ** ITM020216 90 x 100 ** ITM020217 100 x 100 ITM020218 100 x 125 ** ITM020218 100 x 200 ** ITM020256 100 x 220 ** ITM020256 100 x 250 ** ITM020256 100 x 170 ** ITM020256 100 x 100 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020264 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	*	ITM020255	70 x 100
** ITM020212 80 x 120 ** ITM020211 85 x 180 ** ITM020215 90 x 90 ITM020216 90 x 100 ** ITM020217 100 x 100 ** ITM020218 100 x 125 ** ITM020218 100 x 150 ** ITM020219 100 x 200 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020256 100 x 170 ** ITM020256 100 x 100 ** ITM020265 100 x 250 ** ITM020266 100 x 250 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	**	ITM020209	70 x 170
* * * ITM020211 85 x 180 * * * ITM020215 90 x 90 ITM020216 90 x 100 * * ITM020217 100 x 100 ITM020218 100 x 125 * * ITM020218 100 x 125 * * ITM020219 100 x 120 * * ITM020218 100 x 200 * * ITM020256 100 x 200 * * ITM020256 100 x 250 * * ITM020256 100 x 250 * * ITM020221 110 x 170 * * ITM020223 115 x 150 * * ITM020267 120 x 170 * * ITM020266 120 x 280 * * ITM020266 120 x 280 * * ITM020257 130 x 200		ITM020602	75 x 90
** ITM020215 90 x 90 ITM020216 90 x 100 ** ITM020217 100 x 100 ITM020604 100 x 125 ** ITM020218 100 x 150 ** ITM020219 100 x 200 ** ITM020265 100 x 220 ** ITM020266 100 x 250 ** ITM020256 100 x 170 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020267 130 x 200 ** ITM020257 130 x 320	* * 🔳	ITM020212	80 x 120
ITM020216 90 x 100 ITM020217 100 x 100 ITM020604 100 x 125 ITM020218 100 x 150 ITM020219 100 x 200 ITM020265 100 x 220 ITM020256 100 x 250 ITM020221 110 x 170 ITM020223 115 x 150 ITM020267 120 x 170 ITM020266 120 x 280 ITM020267 120 x 180 ITM020257 130 x 200 ITM020257 130 x 320	* * *	ITM020211	85 x 180
** ITM020217 100 x 100 ITM020604 100 x 125 ** ITM020218 100 x 150 ** ITM020219 100 x 200 ** ITM020265 100 x 220 ** ITM020266 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020221 110 x 170 ** ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020266 120 x 280 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM02028 130 x 320	* * 🔳	ITM020215	90 x 90
ITM020604 100 x 125 ITM020218 100 x 150 ITM020219 100 x 200 ITM020265 100 x 200 ITM020265 100 x 200 ITM020265 100 x 200 ITM020265 100 x 200 ITM020266 100 x 200 ITM020267 100 x 250 ITM020221 110 x 170 ITM020222 110 x 300 ITM020223 115 x 150 ITM020267 120 x 170 ITM020266 120 x 280 ITM020266 120 x 280 ITM020257 130 x 200 ITM020228 130 x 320		ITM020216	90 x 100
** ITM020218 100 x 150 ** ITM020219 100 x 200 ** ITM020265 100 x 250 ** ITM020256 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020264 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	* * 🔳	ITM020217	100 x 100
** ITM020219 100 x 200 ** ITM020265 100 x 220 ** ITM020266 100 x 250 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320		ITM020604	100 x 125
** ITM020265 100 x 220 ** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020266 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	* * 🔳	ITM020218	100 x 150
** ITM020256 100 x 250 ** ITM020221 110 x 170 ** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020224 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	* *	ITM020219	100 x 200
** ITM020221 110 x 170 ** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020267 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM02028 130 x 320	**	ITM020265	100 x 220
** ITM020222 110 x 300 ITM020223 115 x 150 ** ITM020267 120 x 170 ** ITM020266 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	**	ITM020256	100 x 250
 ITM020223 115 x 150 ITM020267 120 x 170 ITM020267 120 x 180 ITM020266 120 x 280 ITM020257 130 x 200 ITM020228 130 x 320 	**	ITM020221	110 x 170
** ITM020267 120 x 170 ** ITM020224 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	**	ITM020222	110 x 300
** ITM020224 120 x 180 ** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320		ITM020223	115 x 150
** ITM020266 120 x 280 ** ITM020257 130 x 200 ** ITM020228 130 x 320	**	ITM020267	120 x 170
* * ITM020257 130 x 200 * * ITM020228 130 x 320	**	ITM020224	120 x 180
** ITM020228 130 x 320	**	ITM020266	120 x 280
	**	ITM020257	130 x 200
** ITM020230 140 x 170	**	ITM020228	130 x 320
	**	ITM020230	140 x 170
** ITM020258 140 x 220	**	ITM020258	140 x 220

	Ref.	W x D (mm)
**	ITM020232	150 x 180
**	ITM020233	150 x 200
* *	ITM020268	150 x 220
**	ITM020259	150 x 320
**	ITM020237	160 x 220
**	ITM020238	160 x 280
**	ITM020239	180 x 250
**	ITM020260	180 x 280
**	ITM020240	180 x 350
**	ITM020241	200 x 200
* * *	ITM020261	200 x 250
**	ITM020501	200 x 300
* * *	ITM020262	200 x 300
* * *	ITM020243	220 x 280
**	ITM020244	220 x 320
***	ITM020263	230 x 300
* * *	ITM020246	230 x 320
* * *	ITM020247	250 x 320
**	ITM020503	250 x 350
* * *	ITM020251	250 x 350
* * *	ITM020271	270 x 400
**	ITM020270	280 x 400
**	ITM020502	300 x 400
***	ITM020249	300 x 400
* * *	ITM020250	350 x 450
* * *	ITM020275	400 x 500
R		




- Totally transparent
- Hole for hanging and/or aeration hole to pack products

See list of products concerned on the certificate.

PE Three White Write-On Panels 60 µm

	Ref.	W x D (mm)
*	ITM020301	40 x 60
	ITM020303	50 x 80
**	ITM020302	60 x 80
**	ITM020336	70 x 100
	ITM020902	75 x 90
**	ITM020304	80 x 120
* * 🔳 *	ITM020305	85 x 180
* * 🔳	ITM020306	90 x 100
	ITM020904	100 x 125
* * 🔳	ITM020307	100 x 150
•	ITM020314	115 x 150
**	ITM020308	120 x 180









See list of products concerned on the certificate.



Non-contractual photos

Format: Width (W) x Depth (D) * Punched Hole ø 6 mm * * Punched hole ø 8 mm * Aeration hole ø 4 mm Pack of 100 bags (or 50)

Key:

Clear PE 100 µm

Ref.		W x D (mm)
**	ITM024272	70 x 80
**	ITM024212	80 x 120
* *	ITM024218	100 x 150
* *	ITM024224	120 x 180
* *	ITM024237	160 x 220
**	ITM024239	180 x 250
* * *	ITM024243	220 x 280
* * *	ITM024247	250 x 320
* * * =	ITM024249	300 x 400





The

 Ultra resistant for heavy or sharp products



Clear PE 60 µm Kangaroo pouch

	Ref.	W x D (mm) + Pouch				The (+)
**	ITM020811	150 x 180 + 160				2 USES IN 1
**	ITM020812	160 x 220 + 160	P.6	DPE		• Bag with extra external pocket
**	ITM020813	180 x 250 + 200				to protect accompanying documents
		PE 60 µm		Floring		
		PE 60 µm oo pouch		Flexico	Ì	The (+)
				Flexico		• Ideal for medical laboratories,
	ingarc	o pouch		Flexico	ļ	 Ideal for medical laboratories, dental technicians or all other
Ka	Ref.	W x D (mm) + Pouch		Flexico	ľ	Ideal for medical laboratories,

Bags printed with the reference « NON STERILE CUSTOM MEDICAL DEVICE » according to the EU directive 93/42/CEE. This reference is printed in 4 languages (French, English, Spanish and German).



Non-contractual photos

18

Anti-UV PE 80 µm Three White Write-On Panels

Our Minigrip[®] UV protection bag has **barrier properties** for the contents of the bag (wavelengths between 280 and 350 nm) and can withstand an irradiation energy of 200 Kly.

Ref.	W x D (mm)	
ITM025701	70 x 100	
ITM025702	100 x 150	
ITM025703	150 x 220	€
ITM025704	200 x 300	



Black Opaque PE 60 µm Three White Write-On Panels

ð

	Ref.	W x D (mm)
* * 🔳	ITM025751	100 x 150
**	ITM025752	160 x 220
**	ITM025753	240 x 320



Ref.	W x D (mm)	• Aver
ITM025045	70 x 100	resist
ITM025046	80 x 120	Ohms
ITM025047	100 x 150	• Half
ITM025048	120 x 170	of 3s
ITM025049	150 x 220	
ITM025050	180 x 250	
ITM025054	220 x 320	
ITM025052	250 x 350	
ITM025053	300 x 400	

 Average surface resistivity of 10¹² Ohms +/ Half decay time

of 3s +/-

	11025055	300 X 400	
	(R		
		MADE IN	1 3 21.
	$\left(\right)$	*	
Tł	ne (-	Ð	
۰Pro	tects you	r contents	

The (+)

• Confidentiality of contents due to the opacity to light

Key:

Format: Width (W) x Depth (D) * Punched Hole ø 6 mm * Punched hole ø 8 mm Aeration hole ø 4 mm Pack of 100 bags (or 50) Pack of 25 bags (or 50)

The ZIPGrip[®]bag

The practical bag for daily life use!

Easy and practical, the Zipgrip[®] bag can be used daily and resists many openings and closures.

The "Clicky" option confirms that the bag is correctly opened or closed due to its tactile and sound effect. The special texture of this zip allows the users fingers to feel it slide when closing.

Our Clicky Zip was designed to improve the day-to-day life of users and consumers.



Clear PET/PE Doypack®

	Ref.	W x D + BG + L (mm)
100 ml	ITM080101	85 x 125 + 2 x 25 + 20
250 ml	ITM080102	110 x 160 + 2 x 32 + 25
500 ml	ITM080103	130 x 190 + 2 x 35 + 35
750 ml	ITM080104	160 x 230 + 2 x 40 + 40
📕 1 000 ml	ITM080105	180 x 255 + 2 x 45 + 35
2000 ml	ITM080106	210 x 270 + 2 x 55 + 40
5000 ml	ITM080108	300 x 330 + 2 x 80 + 40

 Thickness:

 PET12/PE80
 PET12/PE120

 PET12/PE100
 PET12/PE140





 Zipgrip® closure for a sound and tactile effect

Visual impact

Clear PET/ALU/PE Doypack®

	Ref.	W x D + BG + L (mm)
100 ml	ITM080201	85 x 125 + 2 x 25 + 20
250 ml	ITM080202	110 x 160 + 2 x 32 + 25
500 ml	ITM080203	130 x 190 + 2 x 35 + 35
750 ml	ITM080204	160 x 230 + 2 x 40 + 40
1000 ml	ITM080205	180 x 255 + 2 x 45 + 35
2000 ml	ITM080206	210 x 270 + 2 x 55 + 40
3000 ml	ITM080207	250 x 300 + 2 x 65 + 40



Clear PAPER/ALU/PE Doypack®

PET12/ALU8/PE100

Ref. W x D + BG + L (mm) 250 ml 1TM080302 110 x 160 + 2 x 32 + 25 KRAFT 500 ml ITM080303 130 x 190 + 2 x 35 + 35 KRAFT 750 ml ITM080304 160 x 230 + 2 x 40 + 40 KRAFT 1000 ml ITM080305 180 x 255 + 2 x 45 + 35 KRAFT

Thickness : PAPER35/ALU8/PE60 PAPER35/ALU8/PE80

Thickness:

PET12/ALU8/PE60 PET12/ALU8/PE80



* Suitable for food contact "dry, wet and aqueous body".



PAPER/PET/CPP with Window Doypack®

	Ref.	W x D + BG + L (mm)
100 ml	ITM080351	85 x 125 + 2 x 25 + 20
250 ml	ITM080352	110 x 160 + 2 x 32 + 25
500 ml	ITM080353	130 x 190 + 2 x 35 + 35
750 ml	ITM080354	160 x 230 + 2 x 40 + 40
1000 ml	ITM080355	180 x 255 + 2 x 45 + 35

Thickness: PAPER40/PET12/CPP60





Clear PET Met/PE Doypack[®]

 Ref.
 W x D + BG + L (mm)

 500 ml
 ITM080153
 130 x 190 + 2 x 25 + 35

Thickness : PET12/PE100 Front PETmet12/PE100 Back





The 🕀

- One side coloured metallic silver
- One side transparent
- · Stand-up format to stand out



Non-contractual photos

Key: Format: Width (W) x Depth (D) + Bottom Gusset (BG) + Lip (L) Width (W) x Depth (D) + Bottom Gusset (BG) + Lip (L) + Side Gusset (SG) Including welding dimensions

While stock lasts

The Sensogrip[®] bag

The bag with the intuitive closure!

Resulting from two years of research, the Sensogrip[®] closure offers a sound and tactile effect which guarantees the opening and closing of the bag and ensures excellent hermeticity.

Your product is protected from all external contamination, its containment is optimal (exposure to air is limited, guaranteeing the hygiene of the product).

The Sensogrip[®] closure, patented by Flexico[®], was developed to be accessible to all, regardless of age or disability:

- Effortless opening & closing, with sound effect, no accessories required
- Intuitive closure thanks to the hermaphroditic multi-hooks: no need to align the hooks to guarantee the bag's closure

PAPER/PET/CPP Box Pouch Window

 Ref.
 W x D + SG + BG + L (mm)

 1500 ml
 ITM086536
 150 x 255 + (2 x 40) + (2 x 40) + 30

Thickness: PAPER40/PET12/CPP60



Suitable for food contact "dry content".



• Differentiating visual impact

Non-contractual photo

The topmotic[®]slider bag

Robust and ideal for travel and universal use!

Intuitive and accessible to all, the slider closure remains a popular classic in terms of reclosable packaging. It offers the features that meet the expectations of today's society: ideal for travel, aesthetic, practical, quick to close.

Clear PP 75µm White clorure

Réf.	W x D + BG (mm)
ITM031506	125 x 90
ITM031507	180 x 110
ITM031501	200 x 150
ITM031508	220 x 115 + 20
ITM031503	240 x 320
ITM031502	250 x 170
ITM031509	265 x 280 + 30
ITM031504	320 x 230
ITM031510	350 x 450 + 30
ITM031505	360 x 250





• Highlights the products due to the PP hi-gloss film



Non-contractual photo

PE Soft-Touch 80 µm Black closure

Ref.	W x D + BG (mm)	€ A
ITM031606	125 x 90	P.8
ITM031607	180 x 110	
ITM031601	200 x 150	
ITM031608	220 x 115 + 20	
ITM031603	240 x 320	
ITM031602	250 x 170	
ITM031609	265 x 280 + 30	
ITM031604	320 x 230	
ITM031610	350 x 450 + 30	
ITM031605	360 x 250	
* The plastic s	slider (POM)	

* The plastic slider (POM) is generally not recyclable but it does not affect the bag's recyclability.

Clear PE 100 µm: Type OS

Ref.	W x D (mm)	
ITM031611	220 x 320	P.9
ITM031612	310 x 430	
ITM031613	425 x 505	

Clear PE 100 µm: Type

OTR with carry handle

W x D (mm)

220 x 320

310 x 430

425 x 505

Ref.

ITM031614

ITM031615

ITM031616



The (+)

The (+

 Sensory effect and quality visual appearance thanks to the PE Soft-touch film

Resistant closure due to its metallic slider made of nickel-plated brass

The 🕀

 Resistant closure due to its metallic slider made of nickel-plated brass

 Tear away European hole to become a cut-out carry handle

Clear PE 100 µm: Type OSLO with filing holes

 Ref.
 W x D (mm)

 ITM031617
 320 x 220





10

The 🕀

- Resistant closure thanks to its metallic slider made of nickel-plated brass
- Ideal to place in a file thanks to its reinforced DIN A4 perforation

Non-contractual photos

The ADHESIVE FLAP bag

Easy packing to protect your products!

The adhesive flap bag allows you to package your products manually and quickly. The bag is available with resealable or permanent adhesive.

Flexico[®]'s adhesive flap bags are made from polypropylene or bioriented polypropylene in order to ensure perfect transparency and highlight the products within.

Clear PP 50 µm

-	Def	
	Ref.	W x D + BG (mm)
	ITM031413 AF 30	130 x 180
-15,0-	ITM031404 AF 40	160 x 220
	ITM031403 AF 40	170 x 240
* 🔺	ITM031420 AF 40	190 x 280 + 20
*	ITM031412 AF 40	205 x 300 + 20
*	ITM031405 AF 40	220 x 280
*	ITM031411 AF 40	220 x 310
*	ITM031415 AF 40	220 x 340 + 20
*	ITM031406 AF 40	220 x 350
*	ITM031407 AF 40	240 x 370 + 20
*	ITM031416 AF 40	250 x 400
* 🔺	ITM031408 AF 40	270 x 380
* 🔺	ITM031421 AF 40	270 x 380 + 25
* 🔺	ITM031409 AF 40	300 x 400
* 🔺	ITM031422 AF 40	300 x 400 + 25
* 🔺	ITM031417 AF 40	320 x 480
* 🔺	ITM031410 AF 40	350 x 450
* 🔺	ITM031804 AF 40	400 x 600
* 🔺	ITM031431 AF 60	450 x 740



Presence of hot stamping: legal text "Keep out of reach of children"

Flexible packaging in PP is subject to energy recovery.



The resealable adhesive flap bag makes it possible to test and touch the product without damaging the packaging.



PE 100 % recycled 50 µm

	Ref.	
	Ref.	W x D + BG (mm)
	ITM031384 AF 30	130 x 180
A	ITM031385 AF 40	160 x 220
A	ITM031386 AF 40	170 x 240
▲ *	ITM031387 AF 40	190 x 280 + 20
▲ *	ITM031388 AF 40	205 x 300 + 20
▲ *	ITM031389 AF 40	220 x 280
▲ *	ITM031390 AF 40	220 x 310
▲ *	ITM031391 AF 40	220 x 340 + 20
▲ *	ITM031392 AF 40	220 x 350
▲ *	ITM031393 AF 40	240 x 370 + 20
▲ *	ITM031394 AF 40	250 x 400
▲ *	ITM031395 AF 40	270 x 380
▲ *	ITM031396 AF 40	270 x 380 + 25
▲ *	ITM031397 AF 40	300 x 400
▲ *	ITM031398 AF 40	300 x 400 + 25
▲ *	ITM031399 AF 40	320 x 480
▲ *	ITM031400 AF 40	350 x 450
▲ *	ITM031401 AF 40	400 x 600



The 🕀

- The bags are manufactured from regranulated plastic scrap.
- The resealable adhesive flap bag makes it possible to test and touch the product without damaging the packaging.
- An eco-responsible approach reducing waste production and preserving resources.



Clear PP 40 µm TV Remote control & phone

	Ref.	W x D (mm)
	ITM031101 AF 40	90 x 210
**	ITM031102 AF 40	90 x 250



Flexible packaging in PP is subject to energy recovery.

Key:

Format: Width (W) x Depth (D) + Bottom Gusset (BG) Format: Width (W) x Depth (D) **AF**: Adhesive Flap in mm * 2 Part punched aeration holes Ø 6 mm * * With a hole for the telephone cord

Presence of hot stamp
 FR/EN:
 FR/EN:
 FR/EN:



The 🕀

TO REDUCE THE RISK OF NOSOCOMIAL DISEASE Bags to protect remote controls and telephones:

- Tamperproof bag with adhesive flap
- To be replaced between patients

The bag WITHOUT CLOSURE

Flexico[®] also designs bags without any closure.

You can therefore take advantage of the variety of quality of our plastic films, the large choice of bag shapes and the many options available in our resealable ranges.



Clear BOPP 35 µm: Silver card base

Ref.	W x D (mm)
ITM093201	100 x 220
ITM093202	120 x 275
ITM093203	140 x 305



Flexible packaging in PP is subject to energy recovery



The 🕀

• Perfect for fragile products presented standing up due to the card base and the high stiffness of the film.

Printed Range BOPP Card Base

 Réf.
 W x D + SG (mm)

 ITM093501
 80 x 200 + 40

 ITM093502
 90 x 240 + 45



Flexible packaging in PP is subject to energy recovery





Visibility of contents

Key: Format: Width (W) x Depth (D) Format: Width (W) x Depth (D) + Side Gusset (SG)

While stock lasts

Non-contractual photos

Clear PP 40 µm with Flap

Ref.	W x D (mm)
ITM031201 LIP 10	80 x 180
ITM031203 LIP 40	240 x 400



Flexible packaging in PP is subject to energy recovery.

Clear PP 50 µm: Plastic clip bundle

Ref.	W x D (mm)
ITM031310	100 x 235
ITM031311	120 x 250
ITM031312	140 x 300
ITM031313	200 x 435



Flexible packaging in PP is subject to energy recovery.

Clear PP 40 µm: Wickett bundle

	Réf.	W x D + BG (mm)
*	ITM031207 AF 40	120 x 720
**	ITM031209 AF 40	150 x 720
**	ITM031210 AF 40	170 x 720
*	ITM031220 AF 40	180 x 250 + 40
*	ITM031221 AF 40	180 x 350 + 40
*	ITM031227 AF 40	190 x 400 + 40
*	ITM031222 AF 40	200 x 350 + 40
*	ITM031223 AF 40	250 x 260 + 40
*	ITM031224 AF 40	250 x 400 + 40
*	ITM031231 AF 40	250 x 460 + 40
*	ITM031225 AF 40	300 x 350 + 40
*	ITM031229 AF 40	300 x 460 + 40
*	ITM031226 AF 40	350 x 450 + 40



Flexible packaging in PP is subject to energy recovery.



BANCE

Wickett bundle

of 200 bags



The 🔶

- Fast packing thanks to the flap
- Glossy and transparent
 packaging

The

• Reclosable thanks to a tie*, ribbon or adhesive

 Bags in bundles for quick packing

* Sold page 32


The 🕀

• Reclosable by a tie*, ribbon or adhesive

 Bag with air holes for quick packing, good preservation and presentation of the products

* Sold page 32

Wickett bundle of 200 bags



The TIN-TIE bag

The bag which is infinitely flexible!

Stand-up bag with integrated metal tie to close the bag by adjusting the height to the contents.

CLEAR PAPER / PP

	Ref.	W x D + SG (mm)
250 grs	ITM095101	90 x 260 + 50
500 grs	ITM095103	115 x 245 + 70




Suitable for food contact "dry content".

This paper bag with polypropylene lining offers three advantages:

- Its window which highlights your product
- Its metallic tie which allows the bag to be closed according to the height of the contents
- Its flat bottom which allows the bag to stand well in a showcase or on a shelf

Packaging accessories

As a service to our customers, Flexico® has completed its product offering with a range of packaging accessories.



Rigid self-adhesive hooks

PP Poly	propylène	Rigid and translucent hook are ideal to hang heavier and/or larger packs.	S
	Ref.	Base length (mm)	
.11.	ITM102270	65	

	Rei.	base length (mm)	
**	ITM103279	65	
**	ITM103280	167	



Twist Tie Closure







 Ideal for bags on page 30



Key: * available on stock * * deliverable within 10 days

Non-contractual photos



The 🕇

A system that combines simplicity, flexibility & performance

A flexible and

modular system

Robust machines

A fast and reliable after sales service

The flexible and economical bag packing system

The Joker® patented packing solution is comprised of the machine, bags, and a comprehensive range of accessories (work table, conveyor, printer...).



12

A leasing Joker[®] machine? **Contact us** for more information



FLEHICOM

The **JOKER**® bags

The Joker® bags are linked together in order to ensure packing of all product types and sizes.

The way the machine rails are designed means several bags are opened simultaneously. Whether filling is manual or automatic, this makes the packing process faster.

The opening and size of the bag can be adapted to the product being packed.

Whatever the features and dimensions of the bag, changing from one reference to another is quick and easy.

It can be carried out in just a few minutes and requires no special tooling ..





As an extension and in the application of the policy of HBF Group's sustainable development, we are looking for an industrial local solution enabling us to transform a raw product to a product ready to sell (in his own packaging). We came across a technical difficulty which was to process a small quantity of goods (between 5 to 10 per packaging) in the most automated way possible.

Robust, easy to use and offering real versatility, the Pronova 510 machine quickly conquered us. It allows the number of pieces to be counted during the automatic filling. There are a lot of possibilities of marking various data on the front and back of the bags (for example: with a European hole + closing zip).

This 510 model provides full satisfaction with a rate of use approaching 100%.

Solutions to suit every line of business



EXICOGroup

Ethical packaging rolutionr



Medical

& Pharmaceutical

Luxury goods



Services

REQUEST THE JOKER® BROCHURE FROM OUR SALES DEPARTMENT



adapted to your needs!

Flexico[®] offers you a range of polyethylene bags adapted to Joker[®] machines. Pack a Width variety of products in our flexible packaging, available with or without closure in 3 different formats.

These bags can be customized on the Joker® machine depending upon the model on this one.

Joker[®] Line bags clear PE 50 µm < without zip closure

Ref.	W x D (mm)
ITM094101	90 x 120
ITM094102	130 x 170
ITM094103	230 x 350



Joker[®] Line bags clear **FE 60** µm with zip closure

Ref.	W x D + L (mm)
ITM094104	90 x 120 + 30
ITM094105	130 x 170 + 30
ITM094106	230 x 330 + 30



Key: Tear-away perforations at 10mm Format: Width (W) x Depth (D) + Lip (L)

Non-contractual photo



Find us:

_ FRANCE

Flexico SARL Phone: +33 (0)3 44 49 49 49 E-mail: france.commercial@flexico.fr www.flexico.com

_ EXPORT

Flexico SARL Phone: +33 (0)3 44 49 59 30 E-mail: export.commercial@flexico.fr www.flexico.com

_ GERMANY

Flexico Verpackungen GmbH Phone: +49 (0) 9187 97 050 E-mail: info@flexico.de www.flexico.com

_ BELGIUM

Minigrip development Phone: +32 (0) 53 51 00 61 E-mail: info@minigripdev.be www.flexico.com

SPAIN

Comercial Flexico S.A.U Phone: +34 (0) 93 268 40 77 E-mail: info@flexico.com www.flexico.com

minigrip' renrogrip' zipgrip' rafegrip' & minigrip' topmatic'